Corning Incorporated Life Sciences

Registered ISO 9001:2008

Product Description

Catalog Number: 431472

Product Description: Corning ® 50 mL centrifuge tube, polypropylene, without cap, bulk

Component Materials:

Tube - Virgin Polypropylene, meets USP, Class VI requirements for plastic containers and

closures.

Product Dimensions:

Length of Tube - 4.501 in. I.D. (neck) - 1.146 in.

Tolerances - +/- 0.05 in.
Outer Diameter of cap - 1.364 in.

Sterilization:

This lot has been irradiated and dosimetrically released based on the *Sterilization of healthcare products-Requirements for validation and routine control-Radiation sterilization.*

Sterility Assurance Level: SAL 10⁻⁵

Pyrogens

The product has been tested and has met the criteria established in ANSI/AAMI ST 72:2002/(R) 2010: Bacterial Endotoxins - Test methodologies, routine testing, and alternative to batch testing. Results: less than 0.1 EU/mL

RNase/DNase Testing:

This product has been tested and is free of any detectable RNase/DNase contamination.

Bovine Spongiform Encephalopathy and Transmissible Spongiform Encephalopathy:

This product complies with the latest revision of EMEA/410/01 "Note for Guidance on minimizing the risk of transmitting animal spongiform encephalopathy agents cia human veterinary medicine products" by virtue of all bovine derived material having been processed per specific conditions of section 6.4 of EMEA/410/01.

Performance Testing:

Each manufacturing lot is sampled and tested in accordance with Standard Operating Procedures.

Integrity Test: Forward pressurization of the product to 60 inches of water column at the

molding stage. Inverted leak test with an alcohol based solution during

final assembly.

Centrifugation: Centrifugation of the product, fully supported to an RCF of 15,500 x g.

Visual Attributes: Visual examination of the product.

Packaging: Inspection for seal and barrier integrity, accurate labeling, and correct

product configuration.

Lot Number Designation:

8 Digit Lot Number: First 3 digits - Julian date, start of manufacturing; Next 2 digits - Year of manufacture; Last 3 digits - Run number for that year.

Rev No: 2