

**Catalog Number:** 9099

**Product Description:** 5 mL non-printed pipette, individual plastic wrap

**Component Materials:**

Pipette - Virgin Polystyrene meets *USP, Class VI requirements for plastic containers and closures*.  
Polystyrene also meets *USP Cytotoxicity Test <87>*.

**Product Dimensions:**

Overall Length	-	13.65 in. +/- .15 in.	Mouthpiece OD	-	.315 in.
Pipette OD	-	.315 in.	Tip ID	-	.073 in.
Tolerances of ID & OD	-	+/- .015 in.			

**Sterilization:**

The lot has been irradiated and dosimetrically released based on ANSI/AAMI/ISO 11137 *Sterilization of health care products-Requirements for validation and routine control-Radiation sterilization*.

Sterility Assurance Level: SAL 10<sup>-3</sup>

**Pyrogens:**

The product has been tested and has met the criteria established in the current version of ANSI/AAMI ST 72: *Bacterial Endotoxins - Test methodologies, routine testing, and alternative to batch testing*.

Results: < 0.1 EU/mL ( < 4EU/device)

**BSE/TSE:**

This product is deemed animal free by virtue of not containing materials of animal origin and/or complies with the latest revision of EMA/410/01 section 6.4.

**Performance Testing:**

Each manufacturing lot is sampled and tested in accordance with Standard Operating Procedures.

Visual Attributes: Visual examination of the product.

Packaging: Inspection for seal and barrier integrity, accurate labeling, and correct product configuration.

**Lot Number Designation:**

8 Digit Lot Number: First 3 digits – Julian date, start of manufacturing; Next 2 digits – Year of manufacture; Last 3 digits – Batch identification.

Rev 7